

# **Safety Data Sheet**

# prepared to UN GHS Revision 3

# 1. Identification of the Substance/Mixture and the Company/Undertaking

**1.1 Product Identifier** F01-302-DUV-A-48/650-7.86 **Revision Date:** 11/12/2020

**New SDS** 

Product Name: Deckshield UV - Base A Supersedes Date:

No Information

1.2 Relevant identified uses of the substance or mixture and uses

advised against

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier
Tremco CPG Australia Pty Ltd

63 Radley Street Virginia QLD 4014

Australia

T. +61 7 3205 7115 F. +61 7 3205 3116

www.flowcreteaustralia.com.au

Datasheet information obtainable from:

asia@tremcocpg.com

1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US)

CHEMTREC +1 703 5273887 (Outside US)

# 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 2 Carcinogenicity, category 1B Flammable Liquid, category 3 Germ Cell Mutagenicity, category 1B Reproductive Toxicity, category 1A STOT, repeated exposure, category 2 Skin Irritation, category 2

#### 2.2 Label elements

#### Symbol(s) of Product



# Signal Word

Danger

#### Named Chemicals on Label

Lead sulfochromate yellow

#### **HAZARD STATEMENTS**

Flammable Liquid, category 3	H226	Flammable liquid and vapour.
Skin Irritation, category 2	H315	Causes skin irritation.
Germ Cell Mutagenicity, category 1B	H340-1B	May cause genetic defects.
Carcinogenicity, category 1B	H350-1B	May cause cancer.
Reproductive Toxicity, category 1A	H360-1A	May damage fertility of the unborn child.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P308+P313	IF exposed or concerned: Get medical advice/attention

Store in a well-ventilated place. Keep container tightly closed.

Collect spillage.

Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention.

#### 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

P314

P391

P332+313

P403+233

# 3. Composition/Information On Ingredients

# 3.2 Mixtures

# **Hazardous Ingredients**

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>%</u>
108-65-6	2-methoxy-1-methylethyl-acetate	10 - <25
1330-20-7	Xylene	10 - <25
1344-37-2	Lead sulfochromate yellow	10 - <25
123-86-4	Magnesium Nitrate	2.5 - <10
13463-67-7	titanium dioxide	0.1 - <1.0
1308-38-9	chromic oxide	0.1 - <1.0
1309-64-4	Diantimony trioxide	0.1 - <1.0
149-57-5	2-ethylhexanoic acid	<0.1

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
108-65-6	GHS02	H226	0
1330-20-7	GHS02-GHS07	H226-315-332	0
1344-37-2	GHS08-GHS09	H350-373-400-410	0
123-86-4	GHS02-GHS07	H225-336	0
13463-67-7	GHS07-GHS08	H335-373-413	0
1308-38-9	GHS08	H360	0
1309-64-4	GHS08	H351	0
149-57-5			0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

#### 4.1 **Description of First Aid Measures**

**GENERAL NOTES:** No Information **AFTER INHALATION:** No Information

AFTER SKIN CONTACT: Wash off with warm water and soap. If skin irritation persists, call a physician. In case of contact,

immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

**AFTER EYE CONTACT:** No Information **AFTER INGESTION:** No Information

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

## Most important symptoms and effects, both acute and delayed

Harmful by inhalation. Do not ingest. Irritating to eyes and skin. Risk of serious damage to the lungs (by aspiration). Vapours may cause drowsiness and dizziness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# 5. Fire-fighting Measures

#### 5.1 **Extinguishing Media:**

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### Accidental Release Measures

# Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Remove all sources of ignition.

#### 6.2 **Environmental precautions**

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

## Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## Handling and Storage

# Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically; always use earthing leads when transferring from one container to another. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. Use only explosion-proof equipment. Keep away from sources of ignition - No smoking. PROTECTION AND HYGIENE MEASURES: When using, do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Heat, flames and sparks.

**STORAGE CONDITIONS:** Keep in a dry, cool and well-ventilated place. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (AU)

<u>Name</u>	CAS-No.	TWA ppm	STEL ppm	TWA mg/m3	STEL mg/m3
2-methoxy-1-methylethyl-acetate	108-65-6	50	100	274	548
Xylene	1330-20-7	80	150	350	655
Lead sulfochromate yellow	1344-37-2			0.5	
Magnesium Nitrate	123-86-4	150	200	713	950
titanium dioxide	13463-67-7			10	
chromic oxide	1308-38-9			0.5	
Diantimony trioxide	1309-64-4			0.5	
2-ethylhexanoic acid	149-57-5				

<u>Name</u>	CAS-No.	OEL Note
2-methoxy-1-methylethyl-acetate	108-65-6	SKIN
Xylene	1330-20-7	Sk
Lead sulfochromate yellow	1344-37-2	
Magnesium Nitrate	123-86-4	
titanium dioxide	13463-67-7	
chromic oxide	1308-38-9	
Diantimony trioxide	1309-64-4	
2-ethylhexanoic acid	149-57-5	

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

## 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** No Information

**EYE PROTECTION:** No Information **HAND PROTECTION:** No Information

**OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

areas.

# 9. Physical and Chemical Properties

Not determined

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid, colour on label

Physical State Liquid

Odor Smell of solvent
Odor threshold Not determined
pH Not determined
Melting point / freezing point (°C) Not determined
Boiling point/range (°C) 108 - N.D.

Flash Point, (°C) 35

Flammability (solid, gas)

Not determined

Not determined

Upper/lower flammability or explosive

limits

Vapour Pressure

Not determined

Vapour density

Not determined

\*\*T.25 at 20°C

Solubility in / Miscibility with water partial

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity

Not determined

Explosive properties

Not determined

Oxidising properties

Not determined

9.2 Other information

VOC Content g/l: Not determined

Specific Gravity (g/cm3) 0.676

# 10. Stability and Reactivity

#### 10.1 Reactivity

No Information

#### 10.2 Chemical stability

Risk of ignition.

# 10.3 Possibility of hazardous reactions

No Information

#### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

No Information

#### 10.6 Hazardous decomposition products

No Information

# 11. Toxicological Information

## 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information available.

Inhalation LC50: No information available.

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	<u>Chemical Name</u>	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
108-65-6	2-methoxy-1-methylethyl-acetate	8532 mg/kg, oral (rat)	>5000 mg/kg	1105 mg/m3/4H	0.000	0.000
1330-20-7	Xylene	5251 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	29091 mg/kg 4 hrs (Rat)	0.000	0.000
1344-37-2	Lead sulfochromate yellow	> 2000 mg/kg (Rat)			0.000	0.000
123-86-4	Magnesium Nitrate	10760 mg/kg, rat, oral		23.4 mg/l/4/h (rat)	0.000	0.000
13463-67-7	titanium dioxide	10000 mg/m3, oral (rat)			0.000	0.000

#### Additional Information:

No Information

# 12. Ecological Information

## 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information
No information
No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

**12.4 Mobility in soil:**No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: No information

CAS-No.	Chemical Name	EC50 48hr	IC50 72hr	LC50 96hr
108-65-6	2-methoxy-1-methylethyl-acetate	No information	No information	
1330-20-7	Xylene	3.82 mg/l	4.36 mg/l (Selenastrum capricornutum)	2.6 - 7.6 mg/l (Rainbow trout)
1344-37-2	Lead sulfochromate yellow	> 100 mg/l - 48h, Daphnia magna (Big water flea)	> 100 mg/l - 72h, Scenedesmus subspicatus	> 10000 mg/l - 96h, Leuciscus idus (golden orfe)
123-86-4	Magnesium Nitrate	No information	No information	
13463-67-7	titanium dioxide	No information	No information	
1308-38-9	chromic oxide	No information	No information	
1309-64-4	Diantimony trioxide	No information	No information	
149-57-5	2-ethylhexanoic acid	No information	No information	

# 13. Disposal Considerations

**13.1 WASTE TREATMENT METHODS:** Do not burn, or use a cutting torch on, the empty drum. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport Information

14.1	UN number	1866
14.2	UN proper shipping name	Resin solution
	Technical name	Not applicable
14.3	Transport hazard class(es)	Not applicable
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	III
14.5	Environmental hazards	no
14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable
14.8	ADG Hazchem Code	Not applicable

# 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

# **National Regulations:**

Please contact Manufacturer / Supplier for details related to inventory listing of national regulations.

Australia Australia Inventory of Industrial Chemicals (AIIC)

China Inventory of Existing Chemical Substances (IECSC)

Japan Inventory of Existing and New Chemical Substances (ENCS)

Korea Korea Existing Chemicals Inventory (KECI)

New Zealand New Zealand Inventory of Chemicals (NZIoC)

Philippines Philippines Inven tory of Chemicals and Chemical Substances (PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

Thailand Thailand Existing Chemicals Inventory (TECI)

Vietnam National Chemical Inventory (NCI)

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

#### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

#### Reasons for revision

No Information

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable

LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.